




# **EOSC-Nordic FAIR assessments**

Andreas O Jaunsen (NeIC, WP4 lead)

EOSC-Nordic project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No 857652








### WP4 members







#### **For Humans**

472 187
Save Citation

37,138 57
View Share

#### For Machines

#### Community Health Workers and Mobile Technology: A Systematic Review of the Literature

Rebecca Braun , Caricia Catalani, Julian Wimbush, Dennis Israelski

RESEARCH ARTICLE

Published: June 12, 2013 https://doi.org/10.1371/journal.pone.0065772

| Article | Authors | Metrics | Comments | Media Coverage |
|---------|---------|---------|----------|----------------|
| ×       |         |         |          |                |

#### Abstract

Introduction

Methods Results

Di-----

Supporting Information

Acknowledgments

Author Contribution

References

Reader Comments (0) Media Coverage (1) Figures

#### Abstract

#### Introduction

In low-resource settings, community health workers are frontline providers who shoulder the health service delivery burden. Increasingly, mobile technologies are developed, tested, and deployed with community health workers to facilitate tasks and improve outcomes. We reviewed the evidence for the use of mobile technology by community health workers to identify opportunities and challenges for strengthening health systems in resource-constrained settings.

#### Methods

We conducted a systematic review of peer-reviewed literature from health, medical, social science, and engineering databases, using PRISMA guidelines. We identified a total of 25 unique full-text research articles on community health workers and their use of mobile technology for the delivery of health services.

#### Results

Community health workers have used mobile tools to advance a broad range of health aims throughout the globe, particularly maternal and child health, HIV/AIDS, and sexual and reproductive health. Most commonly, community health workers use mobile technology to collect field-based health data, receive alerts and reminders, facilitate health education sessions, and conduct person-to-person communication. Programmatic efforts to strengthen health service delivery focus on improving adherence to standards and guidelines, community education and training, and programmatic leadership and management practices. Those studies that evaluated program outcomes provided some evidence that mobile tools help community health workers to improve the quality of care provided, efficiency of services, and capacity for program monitoring.

#### Discussion

Evidence suggests mobile technology presents promising opportunities to improve the range and quality of services provided by community health workers. Small-scale efforts, pilot projects, and preliminary descriptive studies are increasing, and there is a trend toward using feasible and acceptable interventions that lead to positive program outcomes through operational improvements and rigorous study designs. Programmatic and scientific gaps will need to be addressed by global leaders as they advance the use and assessment of mobile technology tools for community health workers.

#### **Figures**




<meta name="citation title" content="Community</pre> Health orkers and Mobile Technology: A Systematic Review of <meta itemprop="name" content="Community Health Worker</pre> s and Mobile Technology: A Systematic Review of the Li ="PLOS ONE <meta name="citation\_journal\_title" conten</pre> <meta name="citation journal abbrev" con,</pre> ent="PLOS <meta name="citation date" content="Jur</pre> 12, 2013" <meta name="citation firstpage" conte t="e65772". <meta name="citation issue" content</pre> <meta name="citation volume" conte</pre> <meta name="citation issn" conte <meta name="citation\_publisher"</pre> content="Publi Library of Science"/> 75 rl" content="https://journals.plos.org/plosone/article/file?id=10.1371/journal.p <meta name="citation pdf //</pre> fticle\_type" conte t="Research Article"> <meta name="dc.identifier" content="10.1</pre> 71/journal.pone.0065772"/>

<meta name="twitter:card" content="summary" /> <meta name="twitter:site" content= @plosone"/> <meta name="twitter:title" content="Community Health Workers and Mobile Technology: A Systematic Review</pre> <meta property="twitter:description" content="Introduction In low-resource settings, community health wo</pre> burden. Increasingly, mobile technologies are developed, tested, and deployed with community health workers the use of mobile technology by community health workers to identify opportunities and challenges for streng conducted a systematic review of peer-reviewed literature from health, medical, social science, and engineer unique full-text research articles on community health workers and their use of mobile technology for the de mobile tools to advance a broad range of health aims throughout the globe, particularly maternal and child h community health workers use mobile technology to collect field-based health data, receive alerts and remind communication. Programmatic efforts to strengthen health service delivery focus on improving adherence to st programmatic leadership and management practices. Those studies that evaluated program outcomes provided som the quality of care provided, efficiency of services, and capacity for program monitoring. Discussion Evide improve the range and quality of services provided by community health workers. Small-scale efforts, pilot p is a trend toward using feasible and acceptable interventions that lead to positive program outcomes through scientific gaps will need to be addressed by global leaders as they advance the use and assessment of mobile <meta property="tyltter:image" content="https://journals.plos.org/plosone/article/figure/image?id=10.137</pre>

workers use mobile technology to collect field-based health data, receive alerts and reminders, facilitate h Programmatic efforts to strengthen health service delivery focus on improving adherence to standards and gui



## FAIR Digital Objects



Bonino 2019

### It's all about FAIR...












# FAIRification of data requires competent support staff – data stewards

#### **FAIR Data Stewardship**










Credits: DTL



# FAIR assessment



Evaluated datasets using metrics that (mostly) explore machine-actionable metadata (Wilkinson et al. 2019 & Devaraju et al. 2020)

Surveyed Nordics region for research repositories (~100 repositories in sample)



Our goal is to guide communities based on FAIR assessments of their data repository and hope this leads to action and as a result FAIRer data




Disclaimer: The test results shown here are based on preliminary data and code which still is under development. F-UJI is rapidly evolving and not yet available in a productive environment.

#### Summary:



#### Report:


#### Findable



F-UJI is a result of the FAIRsFAIR "Fostering FAIR Data Practices In Europe" project which received funding from the European Union's Horizon 2020

project call H2020-INFRAEOSC-2018-2020 (grant agreement 831558).






Expose the results to repos/communities, so that they can use the feedback from the tool as a guideline to improve their FAIRness

|            | F-UJI evaluator (latest)  Name □ Data □ Platform □ F-score ▼ A-score □ I-score □ R-score □ FAIR □ Sigma (F □ ilgma (F □ |          |            |                  |                  |                 |                 |                  |                |       |           |                  |       |   |   |          |
|------------|--|----------|------------|------------------|------------------|-----------------|-----------------|------------------|----------------|-------|-----------|------------------|-------|---|---|----------|
| repoID =   | Name =   | Data =   | Platform = | 50.00%           | A-score = 66.67% | 9.72%           | 22.22%          | FAIR = 34.30%    | 0.036          | 0.072 | igma (A = | 3igma (I = 0.124 | 0.000 | χ | Ŧ | - ∓<br>X |
| 3          | DDA  | 20       | Бэрасс     | 57.14%           | 33.33%           | 50.00%          | 33.33%          | 43.48%           | 0.073          | 0.293 | 0.000     | 0.000            | 0.000 | ^ |   |          |
| 4          | Det Kgl. bibliotek   | 20       |            | 30.00%           | 13.33%           | 5.00%           | 7.22%           | 14.57%           | 0.118          | 0.307 | 0.294     | 0.131            | 0.154 |   | Ī |          |
| 6          | Kielipankki  | 10       | META-SHARE | 14.29%           | 0.00%            | 0.00%           | 0.00%           | 4.35%            | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 | х |   | Х        |
| 7          | Data Service Portal Aila   | 10       |            | 71.43%           | 66.67%           | 25.00%          | 33.33%          | 47.83%           | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 8          | Fairdata IDA   | 10       |            | 14.29%           | 0.00%            | 0.00%           | 0.00%           | 4.35%            | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 9          | NMBU dataverseNO<br>NSD  | 16<br>20 | Dataverse  | 85.72%           | 13.33%           | 37.50%          | 43.05%          | 58.15%<br>16.74% | 0.050          | 0.148 | 0.000     | 0.129            | 0.038 | х |   |          |
| 10         | HUNT Databank  | 10       | NESSTAR    | 37.86%<br>14.29% | 0.00%            | 0.00%           | 8.89%           | 4.35%            | 0.000          | 0.000 | 0.168     | 0.000            | 0.112 | ۸ |   |          |
| 13         | CLARINO Bergen Center repo   |          | Dspace     | 30.00%           | 20.00%           | 7.50%           | 6.67%           | 15.65%           | 0.096          | 0.153 | 0.313     | 0.118            | 0.104 | х |   | Х        |
| 16         | Språkbanken  | 10       |            | 14.29%           | 33.33%           | 0.00%           | 22.22%          | 17.39%           | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 17         | ESS Data   | 9        |            | 14.29%           | 0.00%            | 0.00%           | 0.00%           | 4.35%            | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 18         | TROLLing   | 22       | Dataverse  | 75.00%           | 56.67%           | 27.50%          | 35.55%          | 48.91%           | 0.103          | 0.240 | 0.244     | 0.160            | 0.160 | х |   |          |
| 19         | EED  | 10       | Nesstar    | 14.29%           | 0.00%            | 0.00%           | 0.00%           | 4.35%            | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 20         | UiT Open Research Data Dat   |          | Dataverse  | 85.72%           | 66.67%           | 32.50%          | 44.44%          | 57.83%           | 0.047          | 0.147 | 0.000     | 0.118            | 0.000 |   |   |          |
| 24         | Språkbanken Lund University Humanities   | 13       |            | 17.59%           | 0.00%            | 0.00%           | 0.00%           | 5.35%<br>6.52%   | 0.016<br>0.018 | 0.063 | 0.000     | 0.000            | 0.000 |   | Х | Х        |
| 25<br>26   | su.figshare.com  | 20       | Figshare   | 51.43%           | 45.00%           | 10.00%          | 29.44%          | 34.78%           | 0.018          | 0.073 | 0.196     | 0.126            | 0.136 |   |   |          |
| 27         | SND  | 20       | - agomar c | 64.29%           | 50.00%           | 42.50%          | 38.89%          | 48.69%           | 0.077          | 0.220 | 0.171     | 0.118            | 0.057 | х |   |          |
| 28         | ICES data portals  | 8        |            | 14.29%           | 0.00%            | 0.00%           | 0.00%           | 4.35%            | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 29         | JASPAR   | 10       |            | 14.29%           | 33.33%           | 0.00%           | 11.11%          | 13.04%           | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 30         | STRING   | 10       |            | 14.29%           | 0.00%            | 0.00%           | 0.00%           | 4.35%            | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 32         | GBIF   | 22       | IPT        | 59.74%           | 66.67%           | 25.00%          | 38.89%          | 46.44%           | 0.047          | 0.180 | 0.000     | 0.000            | 0.057 |   |   | Х        |
| 39         | HPA  | 10       |            | 14.29%           | 0.00%            | 0.00%           | 0.00%           | 4.35%            | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 41         | Fishbase   | 10       |            | 14.29%           | 0.00%            | 0.00%           | 0.00%           | 4.35%            | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 45         | ISIG   | 10       |            | 14.29%           | 0.00%            | 0.00%           | 0.00%           | 4.35%            | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 47         | GERDA<br>ACTRIS  | 10       |            | 14.29%<br>46.43% | 0.00%            | 0.00%           | 0.00%           | 27.17%           | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 52         | NPDC   | 20       |            | 37.86%           | 35.00%           | 13.75%          | 17.22%          | 25.22%           | 0.133          | 0.259 | 0.366     | 0.151            | 0.178 |   |   |          |
| 54         | Bolin Centre Database  | 12       |            | 61.90%           | 33.33%           | 25.00%          | 22.22%          | 36.23%           | 0.028          | 0.111 | 0.000     | 0.000            | 0.000 |   |   |          |
| 55         | SMHI open data   | 10       |            | 14.29%           | 0.00%            | 0.00%           | 0.00%           | 4.35%            | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 57         | NIRD Archive   | 20       |            | 44.29%           | 20.00%           | 0.00%           | 11.11%          | 20.43%           | 0.093          | 0.311 | 0.168     | 0.000            | 0.114 |   |   |          |
| 60         | GTN-P Database   | 10       |            | 14.29%           | 0.00%            | 0.00%           | 0.00%           | 4.35%            | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 62         | UNITE  | 20       |            | 35.72%           | 33.34%           | 6.25%           | 16.67%          | 22.83%           | 0.114          | 0.220 | 0.342     | 0.111            | 0.171 |   |   |          |
| 63         | Estonian Biocentre Public  | 10       |            | 14.29%           | 33.33%           | 0.00%           | 22.22%          | 17.39%           | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 64         | DataDOI  | 18       |            | 61.90%           | 62.97%           | 2.78%           | 27.78%          | 38.40%           | 0.068          | 0.208 | 0.108     | 0.081            | 0.116 |   |   |          |
| 65         | CELR META-SHARE  | 20       |            | 35.72%           | 33.33%           | 0.00%           | 5.56%           | 17.39%           | 0.057          | 0.220 | 0.000     | 0.000            | 0.057 | Х |   | Х        |
| 66         | AHEAD<br>USN RDA   | 10       | Figshare   | 14.29%           | 0.00%            | 0.00%           | 0.00%           | 4.35%            | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 71         | LOAR   | 19       | 1 Iganai e | 61.65%           | 63.16%           | 2.63%           | 26.31%          | 37.76%           | 0.077          | 0.243 | 0.153     | 0.079            | 0.085 |   |   |          |
| 72         | AIDA Data Hub  | 20       |            | 65.71%           | 43.33%           | 23.75%          | 30.00%          | 41.52%           | 0.080          | 0.188 | 0.219     | 0.099            | 0.103 |   |   |          |
| 73         | QoG Institute's data   | 10       |            | 31.43%           | 10.00%           | 0.00%           | 6.67%           | 13.48%           | 0.084          | 0.276 | 0.161     | 0.000            | 0.107 |   |   |          |
| 76         | JYX  | 20       |            | 35.72%           | 33.34%           | 1.25%           | 11.11%          | 19.78%           | 0.093          | 0.073 | 0.342     | 0.056            | 0.114 |   |   |          |
| 78         | B2SHARE  | 12       | Invenio    | 38.10%           | 27.78%           | 0.00%           | 13.89%          | 20.65%           | 0.118          | 0.275 | 0.343     | 0.000            | 0.172 |   |   |          |
| 79         | DH   | 10       |            | 14.29%           | 0.00%            | 0.00%           | 0.00%           | 4.35%            | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 80         | NLL  | 10       |            | 25.71%           | 53.34%           | 40.00%          | 35.55%          | 35.65%           | 0.101          | 0.060 | 0.281     | 0.211            | 0.187 |   |   |          |
| 84         | RTU RIS  | 10       |            | 14.29%           | 0.00%            | 25.00%          | 11.11%          | 13.04%           | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 85         | FinBIF   | 10       |            | 14.29%           | 0.00%            | 0.00%           | 0.00%           | 4.35%            | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 87         | SARV   | 10       |            | 14.29%           | 33.33%           | 0.00%           | 11.11%          | 13.04%           | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 92         | SSRI   | 15       |            | 42.86%           | 26.67%           | 0.00%           | 13.33%          | 21.74%           | 0.131          | 0.362 | 0.338     | 0.000            | 0.169 |   |   |          |
| 94         | IINH   | 10       |            | 14.29%           | 0.00%            | 0.00%           | 0.00%           | 4.35%            | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 100        | QsarDB   | 20       |            | 35.72%           | 30.00%           | 11.25%          | 15.55%          | 22.83%           | 0.110          | 0.220 | 0.323     | 0.128            | 0.163 |   |   |          |
| 104        | Bird<br>Migration Institute of Fir   | 20       |            | 30.00%           | 40.00%           | 0.00%           | 6.67%           | 16.96%           | 0.074          | 0.222 | 0.137     | 0.000            | 0.137 |   |   |          |
| 106<br>108 | Migration Institute of Fir<br>Musiikkiarkisto  | 4        | CKAN       | 14.29%           | 0.00%<br>66.67%  | 0.00%<br>50.00% | 0.00%<br>50.00% | 4.35%            | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 109        | SLS  | 14       | ,          | 14.29%           | 23.81%           | 0.00%           | 7.94%           | 10.56%           | 0.041          | 0.000 | 0.156     | 0.000            | 0.052 |   |   |          |
| 113        | SweFreq  | 10       |            | 14.29%           | 0.00%            | 0.00%           | 0.00%           | 4.35%            | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 114        | Metabolic Atlas  | 10       |            | 14.29%           | 0.00%            | 0.00%           | 0.00%           | 4.35%            | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 115        | SEAD   | 10       |            | 14.29%           | 0.00%            | 0.00%           | 0.00%           | 4.35%            | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 116        | NOW  | 10       |            | 14.29%           | 0.00%            | 0.00%           | 0.00%           | 4.35%            | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 117        | SNM Digital Assets   | 10       |            | 14.29%           | 0.00%            | 0.00%           | 0.00%           | 4.35%            | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 120        | GEUS   | 10       |            | 14.29%           | 0.00%            | 0.00%           | 0.00%           | 4.35%            | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 123        | LARM   | 10       |            | 14.29%           | 0.00%            | 0.00%           | 0.00%           | 4.35%            | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 127        | Garamantas   | 10       |            | 14.29%           | 0.00%            | 0.00%           | 0.00%           | 4.35%            | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 129        | MMB<br>PlutoF  | 10       |            | 14.29%<br>35.72% | 0.00%<br>31.67%  | 0.00%<br>3.75%  | 0.00%           | 4.35%            | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 130        | MIDAS  | 10       |            | 14.29%           | 0.00%            | 0.00%           | 0.00%           | 4.35%            | 0.000          | 0.220 | 0.000     | 0.092            | 0.167 |   |   |          |
| 132        | NMDC   | 20       | Dataverse  | 85.72%           | 66.67%           | 32.50%          | 35.55%          | 54.35%           | 0.048          | 0.147 | 0.000     | 0.118            | 0.046 |   |   |          |
| 133        | IINH BIOTA   | 10       |            | 14.29%           | 33.33%           | 0.00%           | 22.22%          | 17.39%           | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 134        | ICOS   | 20       |            | 21.43%           | 0.00%            | 0.00%           | 0.00%           | 6.52%            | 0.018          | 0.073 | 0.000     | 0.000            | 0.000 |   |   |          |
| 135        | CESSDA DC  | 14       |            | 34.70%           | 19.05%           | 14.29%          | 12.70%          | 20.50%           | 0.139          | 0.335 | 0.313     | 0.234            | 0.208 |   |   |          |
| 136        | DTU data   | 10       | figshare   | 28.57%           | 33.33%           | 0.00%           | 22.22%          | 21.74%           | 0.000          | 0.000 | 0.000     | 0.000            | 0.000 |   |   |          |
| 137        | CLARIN IS  | 20       | CLARIN     | 50.00%           | 63.34%           | 21.25%          | 22.22%          | 35.87%           | 0.039          | 0.073 | 0.103     | 0.092            | 0.000 |   |   |          |
| 138        |  |          |            |                  |                  |                 |                 |                  |                |       |           |                  |       |   |   |          |




# FAIR uptake






98 repositories (75 evaluated)



#### **Evaluated using F-UJI**


(9)

0.90 1.00




### Assessment tests





# Misc assessment output







# Highlights

- The majority of repositories are not very FAIR, primarily because they do not support machine-actionable metadata
- 24% of the sample cannot be evaluated due to lack of GUID
- 23% of the sample does not support ma-FAIR (<0.1)</li>
- The average score of the 75 evaluated repositories is 0.22
- Repositories running on established platforms score an average of 0.38
- Repositories that are certified score an average of 0.29



# Take away

- Machine-actionable metadata (and data) is the way to FAIR!
- Local competent support staff to assist in the FAIRification of data is needed (data stewards)
- Persistent identifiers, (generic) metadata standards, licensing, provenance and data identifiers are among the important FAIR implementations



### The End




# Ongoing and coming tasks



Events to support community FAIRification process



Certification support for repositories that wish to go this route



Supporting implementation of FAIR data standards



FAIR incentives and stakeholder liaising







- Selection of 'suitable' repositories
- Adopting FAIR + CTS (recommendation from FAIRsFAIR)
- Interviews with prospective repositories
- WP4 certification team offers support for:
  - Self-assessment feedback
  - Guidance during the CTS cert. process



Requires commitment (mainly an effort by repository)

# **FAIRification**

| etric_specification | https://d | loi.org/10.5281/zenodo.3 | 934401   |  |   |                          |   |             |
|---------------------|-----------|--------------------------|--|--|---|--------------------------|---|-------------|
| metric_version      | metrics   | _v0.4.yaml               |  |  |   |                          |   |             |
| results             | [-] Array | data structure, 16 items |  |  |   |                          |   |             |
|                     | [key]     | id metric_identifier     | metric_name                                    |  | output  | score                    | test_debug  | test_sta    |
|                     | 0         | 1 FsF-F1-01D             | assigned a globally unique                     | [-] Object, 2 properties                     |   | [-] Object, 2 properties | [-] Array, 3 items  | pass        |
|                     |           |                          |  | <u> </u>                                     | averse.no/dataset.xhtml?persistentId=doi:10.18710/RIHOIE  | earned 1                 | INFO: Using idutils schemes   | $\bot$      |
|                     |           |                          | identifier.                                    | guid_scheme url                              |   | total 1                  | 1 SUCCESS: Unique identifier schemes found ['url']                              |             |
|                     |           |                          |  |  |   |                          | 2 INFO: Finalized unique identifier scheme - url                                |             |
|                     | 1         | 2 FsF-F1-02D             | Data is assigned a                             | [-] Object, 4 properties                     |   | [-] Object, 2 properties | [-] Array, 6 items  | fail        |
|                     |           |                          | persistent                                     | pid null                                     |   | earned 0                 | INFO: PID schemes-based assessment supported by the                             |             |
|                     |           |                          | identifier.                                    | pid_scheme null                              |   | total 1                  | assessment service  |             |
|                     |           |                          |  | resolvable_status true resolved_url https    | true  https://dataverse.no/dataset.xhtml?persistentId=doi:10.18710/RIHOIE                           |                          | INFO: Retrieving page     https://dataverse.no/dataset.xhtml?     persistentId= |             |
|                     |           |                          |  |  |   |                          | 2 INFO: Content negotiation accept=text/html, application/xhtml+xml, sta        |             |
|                     |           |                          |  |  |   |                          | 3 INFO: Found HTML page!  | 1           |
|                     |           |                          |  |  |   |                          | 4 INFO: Object identifier active (status code = 200)                            |             |
|                     |           |                          |  |  |   |                          | 5 WARNING: Not a persistent identifier scheme - url                             | 1           |
|                     | 2         | 3 FsF-F2-01M             | Metadata                                       | [-] Object, 3 properties                     |   | [-] Object, 2 properties | [-] Array, 20 items   | pass        |
|                     |           |                          | includes<br>descriptive                        | core_metadata_found [-] Object, 7 properties |   | earned 2                 | INFO: Formats of structured   |             |
|                     |           |                          | core elements<br>(creator, title,<br>data iden |  | сгеаtor [-] Аптау, 1 item   | total 2                  | metadata embedded in HTML<br>markup - ['json                                    | ta          |
|                     |           |                          |  |  | 0 Helland-Riise, Siri Helene  |                          | 1 INFO: Could not identify Microdata  |             |
|                     |           |                          |  |  | keywords [-] Array, 4 items   |                          | metadata  |             |
|                     |           |                          |  |  | 0 Medicine, Health and Life Sciences  |                          | 2 INFO: RDFa metadata parsing exception, probably no RDFa                       |             |
|                     |           |                          |  |  | 1 Parasite  |                          | embedded in HT  | $\parallel$ |
|                     |           |                          |  |  | 2 Metacercariae 3 Experimental infection  |                          | 3 INFO: Extract metadata from<br>Schema.org JSON-LD<br>(Embedded)               |             |
|                     |           |                          |  | ob   | object_identifier https://doi.org/10.18710/RIHOIE   |                          | 4 SUCCESS: Found Schema.org   |             |
|                     |           |                          |  |  | publication_date 2019-11-11   |                          | metadata: dict_keys(['title', 'object_type',                                    |             |
|                     |           |                          |  |  | publisher DataverseNO   |                          | 5 INFO: Checking for DublinCore metadata  |             |
|                     |           |                          |  |  | summary [-] Array, 1 item  0 Data for the article Regional distribution of a brain-encysting parasi |                          | 6 INFO: Extract DublinCore metadata from html page                              |             |
|                     |           |                          |  |  | title Replication Data for: Regional distribution of a brain-encysting paras                        |                          | 7 SUCCESS: Found DublinCore metadata:   |             |
|                     |           |                          |  | core_metadata_source                         | [-] Array, 3 items  |                          | dict_keys(['object_identifier', 'o  8 INFO: Extract metadata from None          |             |
|                     |           |                          |  |  | 0 Schema.org JSON-LD (Embedded)   |                          | 9 INFO: Extract metadata from None  |             |
|                     |           |                          |  |  | 1 Embedded DublinCore 2 Embedded OpenGraph  |                          | metadata  |             |
|                     |           |                          |  | core_metadata_status                         | all metadata  |                          | 10 SUCCESS: Found OpenGraph metadata: dict_keys(['title',                       |             |

# FsF-F2-01 M

INFO: Formats of structured metadata embedded in HTML markup - ['json-ld', 'opengraph', 'rdfa']

INFO: Could not identify Microdata metadata

INFO: RDFa metadata parsing exception, probably no RDFa embedded in HTML

INFO: Extract metadata from Schema.org JSON-LD (Embedded)

**SUCCESS**: Found Schema.org metadata: dict\_keys(['title', 'object\_type', 'publication\_date', 'modified\_date', 'creator', 'publisher', 'summary', 'keywords', 'object\_identifier', 'object\_content\_identifier'])

INFO: Checking for DublinCore metadata

INFO: Extract DublinCore metadata from html page

**SUCCESS**: Found DublinCore metadata: dict\_keys(['object\_identifier', 'object\_type', 'title', 'publication\_date', 'publisher', 'creator', 'keywords'])

INFO: Extract metadata from None

INFO: Found OpenGraph metadata

**SUCCESS**: Found OpenGraph metadata: dict\_keys(['title', 'object\_identifier', 'summary', 'object\_type', 'publisher'])

INFO: Trying to access metadata from: https://dataverse.no/dataset.xhtml?persistentId=doi:10.18710/RIHOIE

INFO: Retrieving page https://dataverse.no/dataset.xhtml?persistentId=doi:10.18710/RIHOIE

INFO: Content negotiation accept=application/xml, text/xml;q=0.5, status=200

INFO: Found HTML page!

INFO: Extract metadata from Generic XML (Negotiated)",

INFO: Expected XML but content negotiation responded: html",

INFO: Not a PID, therefore Datacite metadata (json) not requested.",

INFO: Type of object described by the metadata - Dataset",

INFO: Required core metadata elements ['creator', 'title', 'publisher', 'publication\_date', 'summary', 'keywords', 'object\_identifier']

# Metadata & standards

#### Generic metadata standards

- https://www.dcc.ac.uk/resources/subject-areas/general-research-data
- https://guides.lib.unc.edu/metadata/standards
- https://en.wikipedia.org/wiki/Metadata\_standard

#### Disciplinary metadata standards

• https://www.dcc.ac.uk/guidance/standards/metadata

#### Google dataset search

• https://developers.google.com/search/docs/data-types/dataset

#### HTTP Signposting:

http://www.signposting.org/

# Rich metadata validation

#### **Validators**

- https://search.google.com/test/rich-results
- https://search.google.com/structured-data/testing-tool#

# FsF-R1-01MD

INFO: Object landing page accessible status - True

SUCCESS: Resource type specified - Dataset

INFO: Number of data content URI(s) specified - 5

INFO: Selected content file to be analyzed - https://dataverse.no/api/access/datafile/10393

INFO: File request status code 200

INFO: Succesfully parsed data file(s) - https://dataverse.no/api/access/datafile/10393

**WARNING**: NO measured variables found in metadata, skip 'measured\_variable' test.


**WARNING**: Measured variables given in metadata do not match data object content


# FsF-R1.1-01M

INFO: License metadata found (schema.org) - {'@type': 'Dataset', 'text': 'CC0', 'url': 'https://creativecommons.org/publicdomain/zero/1.0/'}

**WARNING**: Looks like schema.org representation of license is incorrect, skipping the test.

**WARNING**: License unavailable





# Comparison of results on 1000+ datasets for 74 repositories

